

# Steel enclosures – weather protective and sound attenuated 10-500 kW gensets



## > Specification sheet

6-500 kW

**Our energy working for you.™**



## Description

Field installable enclosure kits are designed to enclose the entire generator set and allow ample air flow for cooling. Multiple kit configurations are available for each genset model to suit most weather protection and sound control requirements.

Weather protective enclosures (F182-2, F183-2, F184-2) provide weather protection and include an internally mounted exhaust silencer. The enclosure and exhaust silencer are appropriate for applications where sound reducing enclosures are not required.

Level I sound attenuated enclosures (F172-2) provide weather protection and include an internally mounted exhaust silencer and sound insulating panels which reduce the sound level of the set to a level below that achieved with a weather protective enclosure. The enclosure and exhaust silencer are appropriate for applications where sound reducing enclosures are required.

Level II sound attenuated enclosures (F173-2) provide weather protection and include an internally mounted exhaust silencer and sound insulating panels which reduce the sound level of the set to a level below that achieved with a Level I sound attenuated enclosure. The enclosure and exhaust silencer are appropriate for applications where sound reducing enclosures are required.

Level III sound attenuated enclosures (F232-2) provide weather protection and include an internally mounted exhaust silencer and sound insulating panels which reduce the sound level of the set to a level below that achieved with a Level II sound attenuated enclosure. The enclosure and exhaust silencer are appropriate for applications where sound reducing enclosures are required.

Refer to genset model cooling system and sound data sheets for specific capabilities.

## Features and benefits

- 14-gauge, low carbon, hot-rolled ASTM A569 steel construction (panels)
- 12-gauge, low carbon, hot-rolled ASTM A569 steel construction (posts)
- Stainless steel hardware
- Compact footprint
- Zinc phosphate pretreatment, e-coat primer and super durable powder topcoat paint minimize corrosion and color fade
- Two or three recessed doors per side, depending on generator set dimensions, for service access
- Doors key and padlockable for added security
- Weather protective seals around all doors on sound-attenuated enclosures
- Enclosed exhaust silencer improves safety and protects against rust
- Critical sound level exhaust silencers in sound-attenuated enclosures
- Rain collar and rain cap
- Non-hydroscopic sound-attenuating material
- Easy access lifting points for spreader bars or forklift, depending on model
- Compatible with most under-set fuel tanks
- Enclosure attaches directly to generator set skid base or fuel tank, depending on model
- Designed for ambient temperatures up to 50 °C (122 °F)
- Enclosures are designed for outdoor use only
- Removable enclosure panels or hinged doors provide easy generator set access
- Fixed louvers
- Cambered roof prevents water accumulation
- Fuel and electrical stub-up area within enclosure perimeter
- Compliant with UL 2200 Listed generator sets
- Designed to satisfy all requirements of National Electrical Code installations

Model	Spec Letter	Feature Code	Description	Enclosure Kit #	Exhaust Part # (required if listed)	Additional Part #s (required if listed)	Production Part #	Instruction Sheet	Outline Drawing
DFAB	D-N	Open to F184	Weather Protective (upgrade from open set)	0405-5204	0155-2631		0405-6930	000G-0188	0500-2881
DFAC	D-N	Open to F184	Weather Protective (upgrade from open set)	0405-5204	0155-2631		0405-6930	000G-0188	0500-2881
DFCB	N-Z	Open to F183	Weather Protective (upgrade from open set)	0405-5914	0155-3169		0405-6929	000G-0073	0500-3183
DFCC	N-Z	Open to F183	Weather Protective (upgrade from open set)	0405-5914	0155-3169		0405-6929	000G-0073	0500-3183
DFCE	B-J	Open to F183	Weather Protective (upgrade from open set)	0405-5914	0155-3169		0405-6929	000G-0073	0500-3183
DFEB	L-T	Open to F183	Weather Protective (upgrade from open set)	0405-5306	0155-2493		0405-7652-01	000G-0098	0500-3020
DFEC	E-L	Open to F183	Weather Protective (upgrade from open set)	0405-5306	0155-2493		0405-7652-01	000G-0098	0500-3020
DFED	B-H	Open to F183	Weather Protective (upgrade from open set)	0405-5306	0155-2493		0405-7652-01	000G-0098	0500-3020
DFEG	B-E	Open to F184	Weather Protective (upgrade from open set)	0541-0613			0405-7652-01	000G-0492	0500-3410
DFEG	F	Open to F184	Weather Protective (upgrade from open set)	0541-1332			0405-9195-01	000G-0492	0500-4205
DFEH	B-E	Open to F184	Weather Protective (upgrade from open set)	0541-0613			0405-7652-01	000G-0492	0500-3410
DFEH	F	Open to F184	Weather Protective (upgrade from open set)	0541-1332			0405-9195-01	000G-0492	0500-4205
DFEJ	B-E	Open to F184	Weather Protective (upgrade from open set)	0541-0613			0405-7652-01	000G-0492	0500-3410
DFEJ	F	Open to F184	Weather Protective (upgrade from open set)	0541-1332			0405-9195-01	000G-0492	0500-4205
DFEK	B-E	Open to F184	Weather Protective (upgrade from open set)	0541-0613			0405-7652-01	000G-0492	0500-3410
DFEK	F	Open to F184	Weather Protective (upgrade from open set)	0541-1332			0405-9195-01	000G-0492	0500-4205
DGBB	D-M	Open to F182	Weather Protective (upgrade from open set)	0405-5920	0155-3248		0405-6935-01	000G-0332	0500-3171
DGBB	D-M	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5922			0405-6931-01	000G-0333	0500-3164
DGBB	D-M	Open to F172	Sound Attenuated Level 1 (upgrade from open set) (w/L060)	0405-6070			0405-6931-01	000G-0376	0500-3164
DGBB	D-M	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-5924			0405-6932-05	000G-0375	0500-3167
DGBB	D-M	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGBB	D-M		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
DGBB	D-M	F174	Sound Barrier- sub base tank	0403-4123			0179-2695	000G-0286	0179-2695
DGBB	D-M	F170	Sound Barrier- bottom skid	0403-4124			0403-4052	000G-0278	0403-4052
DGBC	D-L	Open to F182	Weather Protective (upgrade from open set)	0405-5920	0155-3248		0405-6935-01	000G-0332	0500-3171
DGBC	D-L	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5922			0405-6931-01	000G-0333	0500-3164
DGBC	D-L	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6070			0405-6931-01	000G-0376	0500-3164
DGBC	D-L	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-5924			0405-6932-05	000G-0375	0500-3167
DGBC	D-L	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGBC	D-L		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
DGBC	D-L	F174	Sound Barrier- sub base tank	0403-4123			0179-2695	000G-0286	0179-2695
DGBC	D-L	F170	Sound Barrier- bottom skid	0403-4124			0403-4052	000G-0278	0403-4052
DGCA	M-V	Open to F182	Weather Protective (upgrade from open set)	0405-5920	0155-3248		0405-6935-01	000G-0332	0500-3171
DGCA	M-V	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6069			0405-6931-01	000G-0333	0500-3164
DGCA	M-V	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6071			0405-6931-01	000G-0376	0500-3164

Our energy working for you.™

[www.cumminspower.com](http://www.cumminspower.com)

©2010 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. Specifications are subject to change without notice AC-161h (1/10)



Model	Spec Letter	Feature Code	Description	Enclosure Kit #	Exhaust Part # (required if listed)	Additional Part #s (required if listed)	Production Part #	Instruction Sheet	Outline Drawing
DGCA	M-V	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-5924			0405-6932-05	000G-0375	0500-3167
DGCA	M-V	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGCA	M-V		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
DGCA	M-V	F174	Sound Barrier- sub base tank	0403-4123			0179-2695	000G-0286	0179-2695
DGCA	M-V	F170	Sound Barrier- bottom skid	0403-4124			0403-4052	000G-0278	0403-4052
DGCB	M-V	Open to F182	Weather Protective (upgrade from open set)	0405-5920	0155-3248		0405-6935-01	000G-0332	0500-3171
DGCB	M-V	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6069			0405-6931-01	000G-0333	0500-3164
DGCB	M-V	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6071			0405-6931-01	000G-0376	0500-3164
DGCB	M-V	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-5924			0405-6932-05	000G-0375	0500-3167
DGCB	M-V	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGCB	M-V		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
DGCB	M-V	F174	Sound Barrier- sub base tank	0403-4123			0179-2695	000G-0286	0179-2695
DGCB	M-V	F170	Sound Barrier- bottom skid	0403-4124			0403-4052	000G-0278	0403-4052
DGCG	C	Open to F182	Weather Protective (upgrade from open set)	0405-5920	0155-3248		0405-6935-01	000G-0332	0500-3171
DGCG	C	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6069			0405-6931-01	000G-0333	0500-3164
DGCG	C	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6071			0405-6931-01	000G-0376	0500-3164
DGCG	C	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6217			0405-6932-01	000G-0375	0500-3167
DGCG	C	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)(Not with E113-2)	0405-5924			0405-6932-05	000G-0375	0500-3167
DGCG	C	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGCG	C		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
DGCG	C	F174	Sound Barrier- sub base tank	0403-4123			0179-2695	000G-0286	0179-2695
DGCG	C	F170	Sound Barrier- bottom skid	0403-4124			0403-4052	000G-0278	0403-4052
DGDA	L-S	Open to F182	Weather Protective (upgrade from open set)	0405-6024	0155-3250		0405-6936-03	000G-0306	0500-3281
DGDA	L-S	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6026-01			0405-6933-03	000G-0333	0500-3282
DGDA	L-S	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6072-01			0405-6933-03	000G-0376	0500-3282
DGDA	L-S	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6217			0405-6934-03	000G-0375	0500-3283
DGDA	L-S	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGDA	L-S		Rain Shield Kit- long skid	0541-0675-02			0541-0675	000G-0494	0541-0675
DGDA	L-S	F170	Sound Barrier- bottom skid	0403-4191			0403-4182	000G-0278	0403-4182
DGDA	L-S	F174	Sound Barrier- sub base tank	0403-4192			0179-2329	000G-0286	0179-2329
DGDB	L-S	Open to F182	Weather Protective (upgrade from open set)	0405-6024	0155-3250		0405-6936-03	000G-0306	0500-3281
DGDB	L-S	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6026-01			0405-6933-03	000G-0333	0500-3282
DGDB	L-S	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6072-01			0405-6933-03	000G-0376	0500-3282
DGDB	L-S	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6217			0405-6934-03	000G-0375	0500-3283
DGDB	L-S	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921

Our energy working for you.™

[www.cumminspower.com](http://www.cumminspower.com)

©2010 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. Specifications are subject to change without notice AC-161h (1/10)



Model	Spec Letter	Feature Code	Description	Enclosure Kit #	Exhaust Part # (required if listed)	Additional Part #s (required if listed)	Production Part #	Instruction Sheet	Outline Drawing
DGDB	L-S		Rain Shield Kit- long skid	0541-0675-02			0541-0675	000G-0494	0541-0675
DGDB	L-S	F170	Sound Barrier- bottom skid	0403-4191			0403-4182	000G-0278	0403-4182
DGDB	L-S	F174	Sound Barrier- sub base tank	0403-4192			0179-2329	000G-0286	0179-2329
DGDK	A-D	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0155-3393		0405-6936-01	000G-0306	0500-3281
DGDK	A-D	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6026-02			0405-6933-01	000G-0333	0500-3282
DGDK	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01			0405-6933-01	000G-0376	0500-3282
DGDK	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-3934-01	000G-0375	0500-3283
DGDK	A-D	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGDK	A-D	F174	Sound Barrier- sub base tank	0403-4192			0179-2329	000G-0286	0179-2329
DGDK	A-D		Rain Shield Kit- long skid	0541-0675-02			0541-0675	000G-0494	0541-0675
DGDK	A-D	F170	Sound Barrier- bottom skid	0403-4191			0403-4182	000G-0278	0403-4182
DGEA	K-N	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0155-3277-03		0405-6936-01	000G-0306	0500-3281
DGEA	K-N	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01			0405-6933-01	000G-0333	0500-3282
DGEA	K-N	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01			0405-6933-01	000G-0376	0500-3282
DGEA	K-N	Open to F172	Sound Attenuated Level 1 (upgrade from open set) (w/L060)	0405-6075-01			0405-6933-01	000G-0376	0500-3282
DGEA	K-N	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-02	000G-0375	0500-3283
DGEA	K-N	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGEA	K-N		Rain Shield Kit- long skid	0541-0675-02			0541-0675	000G-0494	0541-0675
DGEA	K-N	F174	Sound Barrier- sub base tank	0403-4192			0179-2329	000G-0286	0179-2329
DGEA	K-N	F170	Sound Barrier- bottom skid	0403-4191			0403-4182	000G-0278	0403-4182
DGFA	K-S	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0155-3277-03		0405-6936-01	000G-0306	0500-3281
DGFA	K-S	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01			0405-6933-01	000G-0333	0500-3282
DGFA	K-S	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01			0405-6933-01	000G-0376	0500-3282
DGFA	K-S	Open to F172	Sound Attenuated Level 1 (upgrade from open set) (w/L060)	0405-6075-01			0405-6933-01	000G-0376	0500-3282
DGFA	K-S	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-01	000G-0375	0500-3283
DGFA	K-S	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGFA	K-S		Rain Shield Kit- long skid	0541-0675-02			0541-0675	000G-0494	0541-0675
DGFA	K-S	F170	Sound Barrier- bottom skid	0403-4191			0403-4182	000G-0278	0403-4182
DGFA	K-S	F174	Sound Barrier- sub base tank	0403-4192			0179-2329	000G-0286	0179-2329
DGFB	K-S	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0155-3277-03		0405-6936-01	000G-0306	0500-3281
DGFB	K-S	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01			0405-6933-01	000G-0333	0500-3282
DGFB	K-S	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01			0405-6933-01	000G-0376	0500-3282
DGFB	K-S	Open to F172	Sound Attenuated Level 1 (upgrade from open set) (w/L060)	0405-6075-01			0405-6933-01	000G-0376	0500-3282
DGFB	K-S	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-01	000G-0375	0500-3283
DGFB	K-S	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921

Our energy working for you.™

[www.cumminspower.com](http://www.cumminspower.com)

©2010 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. Specifications are subject to change without notice AC-161h (1/10)



Model	Spec Letter	Feature Code	Description	Enclosure Kit #	Exhaust Part # (required if listed)	Additional Part #s (required if listed)	Production Part #	Instruction Sheet	Outline Drawing
DGFB	K-S		Rain Shield Kit- long skid	0541-0675-02			0541-0675	000G-0494	0541-0675
DGFB	K-S	F170	Sound Barrier- bottom skid	0403-4191			0403-4182	000G-0278	0403-4182
DGFB	K-S	F174	Sound Barrier- sub base tank	0403-4192			0179-2329	000G-0286	0179-2329
DGFC	A-N	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0155-3277-03		0405-6936-01	000G-0306	0500-3281
DGFC	A-N	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01			0405-6933-01	000G-0333	0500-3282
DGFC	A-N	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01			0405-6933-01	000G-0376	0500-3282
DGFC	A-N	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-01	000G-0375	0500-3283
DGFC	A-N	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGFC	A-N	F170	Sound Barrier- bottom skid	0403-4191			0403-4182	000G-0278	0403-4182
DGFC	A-N		Rain Shield Kit- long skid	0541-0675-02			0541-0675	000G-0286	0541-0675
DGFS	C	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0155-3277-03	0405-8291-02*	0405-8513-01	000G-0306	0500-3281
DGFS	C	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01			0405-6933-07	000G-0333	0500-3282
DGFS	C	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01			0405-6933-07	000G-0376	0500-3282
DGFS	C	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-09	000G-0375	0500-3283
DGFS	C	F180	Enclosure Window, viewing control	0405-5921				0405-5921	0405-5921
DGFS	C		Rain Shield Kit- long skid	0541-0675-02			0541-0675	000G-0286	0541-0675
DGFS	C	F170	Sound Barrier- bottom skid	0403-4191			0403-4182	000G-0278	0403-4182
DGGD	C-E	Open to F182	Weather Protective (upgrade from open set)	0405-5920	0541-0800-02		0405-6935-01	000G-0332	0500-3171
DGGD	C-E	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5922-02			0405-6931-01	000G-0333	0500-3164
DGGD	C-E	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6070-02			0405-6931-01	000G-0376	0500-3164
DGGD	C-E	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6630			0405-6932-05	000G-0445	0500-3167
DGHD	C-E	Open to F182	Weather Protective (upgrade from open set)	0405-5920	0541-0800-02		0405-6935-01	000G-0332	0500-3171
DGHD	C-E	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5922-02			0405-6931-01	000G-0333	0500-3164
DGHD	C-E	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6070-02			0405-6931-01	000G-0376	0500-3164
DGHD	C-E	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6630			0405-6932-05	000G-0445	0500-3167
DGHE	C-E	Open to F182	Weather Protective (upgrade from open set)	0405-5920	0541-0800-02		0405-6935-01	000G-0332	0500-3171
DGHE	C-E	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5922-02			0405-6931-01	000G-0333	0500-3164
DGHE	C-E	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6070-02			0405-6931-01	000G-0376	0500-3164
DGHE	C-E	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6630			0405-6932-05	000G-0445	0500-3167
DQAD	E	Open to F183	Weather Protective (upgrade from open set)	0541-0616			0179-2955-01	000G-0487	0500-3386
DQAE	E	Open to F183	Weather Protective (upgrade from open set)	0541-0616			0179-2955-01	000G-0487	0500-3386
DQAF	E	Open to F183	Weather Protective (upgrade from open set)	0541-0616			0179-2955-01	000G-0487	0500-3386
DQBA	G	Open to F183	Weather Protective (upgrade from open set)	0405-5914	0155-3169		0405-6929	000G-0073	0500-3183
DQBB	G	Open to F183	Weather Protective (upgrade from open set)	0405-5914	0155-3169		0405-6929	000G-0073	0500-3183

Our energy working for you.™

[www.cumminspower.com](http://www.cumminspower.com)

©2010 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. Specifications are subject to change without notice AC-161h (1/10)



Model	Spec Letter	Feature Code	Description	Enclosure Kit #	Exhaust Part # (required if listed)	Additional Part #s (required if listed)	Production Part #	Instruction Sheet	Outline Drawing
DQDAA	A-B	Open to F183	Weather Protective (upgrade from open set)	0179-4360-02	0179-4853-03	0130-6900-02* & 0821-4853-03*	0179-4360-01	000G-0666	0500-4287
DQDAB	A-B	Open to F183	Weather Protective (upgrade from open set)	0179-4360-02	0179-4853-03	0130-6900-02* & 0821-6003-03*	0179-4360-01	000G-0666	0500-4287
DQDAC	A-B	Open to F183	Weather Protective (upgrade from open set)	0179-4360-02	0179-4853-03	0130-6900-02* & 0821-6003-03*	0179-4360-01	000G-0666	0500-4287
DQHAA	A	Open to F183	Weather Protective (upgrade from open set)	0179-4903-01			0179-4903	000G-0773	0500-4564
DQHAB	A	Open to F183	Weather Protective (upgrade from open set)	0179-4903-01			0179-4903	000G-0773	0500-4564
DSFAA	A-D	Open to F182	Weather Protective (upgrade from open set) without window	0405-9754-03	0155-3250		0405-9754-01	000G-0713	0500-3171
DSFAA	A-D	Open to F182	Weather Protective (upgrade from open set) w/ window	0405-9754-04	0155-3250		0405-9754-02	000G-0713	0500-3171
DSFAA	A-D	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5922	0155-4607*		0405-6931-01	000G-0333	0500-3164
DSFAA	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6070	0155-4607*		0405-6931-01	000G-0376	0500-3164
DSFAA	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-5924			0405-6932-01	000G-0375	0500-3167
DSFAB	A-D	Open to F182	Weather Protective (upgrade from open set) without window	0405-9754-03	0155-3250		0405-9754-01	000G-0713	0500-3171
DSFAB	A-D	Open to F182	Weather Protective (upgrade from open set) w/ window	0405-9754-04	0155-3250		0405-9754-02	000G-0713	0500-3171
DSFAB	A-D	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5922	0155-4607*		0405-6931-01	000G-0333	0500-3164
DSFAB	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6070	0155-4607*		0405-6931-01	000G-0376	0500-3164
DSFAB	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-5924			0405-6932-01	000G-0375	0500-3167
DSFAC	A-D	Open to F182	Weather Protective (upgrade from open set) without window	0405-9754-03	0155-3250		0405-9754-01	000G-0713	0500-3171
DSFAC	A-D	Open to F182	Weather Protective (upgrade from open set) w/ window	0405-9754-04	0155-3250		0405-9754-02	000G-0713	0500-3171
DSFAC	A-D	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5922	0155-4607*		0405-6931-01	000G-0333	0500-3164
DSFAC	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6070	0155-4607*		0405-6931-01	000G-0376	0500-3164
DSFAC	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-5924			0405-6932-01	000G-0375	0500-3167
DSFAD	A-D	Open to F182	Weather Protective (upgrade from open set) without window	0405-9754-03	0155-3250		0405-9754-01	000G-0713	0500-3171
DSFAD	A-D	Open to F182	Weather Protective (upgrade from open set) w/ window	0405-9754-04	0155-3250		0405-9754-02	000G-0713	0500-3171
DSFAD	A-D	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5922	0155-4607*		0405-6931-01	000G-0333	0500-3164
DSFAD	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6070	0155-4607*		0405-6931-01	000G-0376	0500-3164
DSFAD	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-5924			0405-6932-01	000G-0375	0500-3167
DSFAE	A-D	Open to F182	Weather Protective (upgrade from open set) without window	0405-9754-03	0155-3250		0405-9754-01	000G-0713	0500-3171
DSFAE	A-D	Open to F182	Weather Protective (upgrade from open set) w/ window	0405-9754-04	0155-3250		0405-9754-02	000G-0713	0500-3171
DSFAE	A-D	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5922	0155-4607*		0405-6931-01	000G-0333	0500-3164
DSFAE	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6070	0155-4607*		0405-6931-01	000G-0376	0500-3164
DSFAE	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-5924			0405-6932-01	000G-0375	0500-3167
DSGAA	A-B	Open to F182	Weather Protective (upgrade from open set)	0179-5251-01			0179-5251	000G-0759	0500-4897
DSGAA	A-B	Open to F173	Sound Attenuated Level 2 (upgrade from open set)	0179-5503-05			0179-5503	000G-0759	0500-4897
DSGAA	A-B	F173 to F232	Sound Attenuated Level 3 (upgrade from level 2)	0179-5084-05			0179-5084-01	000G-0761	0500-4897
DSGAB	A-B	Open to F182	Weather Protective (upgrade from open set)	0179-5251-01			0179-5251	000G-0759	0500-4897
DSGAB	A-B	Open to F173	Sound Attenuated Level 2 (upgrade from open set)	0179-5503-05			0179-5503	000G-0759	0500-4897

Our energy working for you.™

[www.cumminspower.com](http://www.cumminspower.com)

©2010 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. Specifications are subject to change without notice AC-161h (1/10)



Model	Spec Letter	Feature Code	Description	Enclosure Kit #	Exhaust Part # (required if listed)	Additional Part #s (required if listed)	Production Part #	Instruction Sheet	Outline Drawing
DSGAB	A-B	F173 to F232	Sound Attenuated Level 3 (upgrade from level 2)	0179-5084-05			0179-5084-01	000G-0761	0500-4897
DSGAC	A-B	Open to F182	Weather Protective (upgrade from open set)	0179-5251-01			0179-5251	000G-0759	0500-4897
DSGAC	A-B	Open to F173	Sound Attenuated Level 2 (upgrade from open set)	0179-5503-05			0179-5503	000G-0759	0500-4897
DSGAC	A-B	F173 to F232	Sound Attenuated Level 3 (upgrade from level 2)	0179-5084-05			0179-5084-01	000G-0761	0500-4897
DSHAA	A-C	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0179-4479-03	0405-8291-02*	0405-8513-01	000G-0306	0500-3281
DSHAA	A-C	F183 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01	0155-3164-05*		0405-6933-07	000G-0333	0500-3282
DSHAA	A-C	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01	0155-3164-05*	0405-8291-02*	0405-6933-07	000G-0376	0500-3282
DSHAA	A-C	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-09	000G-0375	0500-3283
DSHAB	A-D	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0179-4479-03	0405-8291-02 *	0405-8513-01	000G-0306	0500-3281
DSHAB	A-D	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01	0155-3164-05*		0405-6933-07	000G-0333	0500-3282
DSHAB	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01	0155-3164-05*	0405-8291-02*	0405-6933-07	000G-0376	0500-3282
DSHAB	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-09	000G-0375	0500-3283
DSHAC	A-D	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0179-4479-03	0405-8291-02 *	0405-8513-01	000G-0306	0500-3281
DSHAC	A-D	F183 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01	0155-3164-05*		0405-6933-07	000G-0333	0500-3282
DSHAC	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01	0155-3164-05*	0405-8291-02*	0405-6933-07	000G-0376	0500-3282
DSHAC	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-09	000G-0375	0500-3283
DSHAD	A-B	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0179-4479-03	0405-8291-02*	0405-8513-01	000G-0306	0500-3231
DSHAD	A-B	F183 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01	0155-3164-05*		0405-6933-07	000G-0333	0500-3282
DSHAD	A-B	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01	0155-3164-05*	0405-8291-02*	0405-6933-07	000G-0376	0500-3282
DSHAD	A-B	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-09	000G-0375	0500-3283
DSHAE	A-C	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0179-4479-03	0405-8291-02 *	0405-8513-01	000G-0306	0500-3231
DSHAE	A-C	F183 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01	0155-3164-05*		0405-6933-07	000G-0333	0500-3282
DSHAE	A-C	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01	0155-3164-05*	0405-8291-02*	0405-6933-07	000G-0376	0500-3282
DSHAE	A-C	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-09	000G-0375	0500-3283
DSHAF	A-B	Open to F182	Weather Protective (upgrade from open set)	0405-5919	0179-4479-03	0405-8291-02*	0405-8513-01	000G-0306	0500-3231
DSHAF	A-B	F183 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-5923-01	0155-3164-05*		0405-6933-07	000G-0333	0500-3282
DSHAF	A-B	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6073-01	0155-3164-05*	0405-8291-02*	0405-6933-07	000G-0376	0500-3282
DSHAF	A-B	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-09	000G-0375	0500-3283
DSKAA	A-B	Open to F182	Weather Protective (upgrade from open set)	0179-5550-03	0179-5539-03		0179-5550-01	000G-0776	0500-4849
DSKAA	A-B	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0179-5548-03			0179-5548-01	000G-0777	0500-4847-01
DSKAA	A-B	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0179-5549-03			0179-5549-01	000G-0777	0500-4848
DSKAB	A-B	Open to F182	Weather Protective (upgrade from open set)	0179-5550-03	0179-5539-03		0179-5550-01	000G-0776	0500-4849
DSKAB	A-B	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0179-5548-03			0179-5548-01	000G-0777	0500-4847-01
DSKAB	A-B	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0179-5549-03			0179-5549-01	000G-0777	0500-4848
DSKBA	A-B	Open to F182	Weather Protective (upgrade from open set)	0179-5550-03	0179-5539-03		0179-5550-01	000G-0776	0500-4849

Our energy working for you.™

[www.cumminspower.com](http://www.cumminspower.com)

©2010 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. Specifications are subject to change without notice AC-161h (1/10)



Model	Spec Letter	Feature Code	Description	Enclosure Kit #	Exhaust Part # (required if listed)	Additional Part #s (required if listed)	Production Part #	Instruction Sheet	Outline Drawing
DSKBA	A-B	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0179-5548-03			0179-5548-01	000G-0777	0500-4847-01
DSKBA	A-B	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0179-5549-03			0179-5549-01	000G-0777	0500-4848
DSKCA	A-B	Open to F182	Weather Protective (upgrade from open set)	0179-5550-04	0179-5544-03		0179-5550-02	000G-0776	0500-4849-02
DSKCA	A-B	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0179-5548-04			0179-5548-02	000G-0777	0500-4847-02
DSKCA	A-B	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0179-5549-03			0179-5549-02	000G-0777	0500-4848
GGDB	B-F	Open to F183	Weather Protective (upgrade from open set)	0405-6205	0155-3247		0405-6418	000G-0360	0500-3231
GGDB	B-F	F183 to F173	Sound Attenuated Level 2 (upgrade from Weather Protective)	0405-6315			0405-6418	000G-0394	0500-3277
GGDB	B-F	Open to F173	Sound Attenuated Level 2 (upgrade from open set)	0405-6316			0405-6224	000G-0398	0500-3273
GGFD	A-K	Open to F182	Weather Protective (upgrade from open set)	0405-6627	0145-0809		0179-2956-01	000G-0442	0500-3171
GGFD	A-K	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6629			0179-2958-01	000G-0444	0500-3211
GGFD	A-K	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6628			0179-2958-01	000G-0443	0500-3211
GGFD	A-K	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6630			0179-2960-01	000G-0445	0500-3167
GGFD	A-K		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGFE	A-K	Open to F182	Weather Protective (upgrade from open set)	0405-6627	0145-0809		0179-2956-01	000G-0442	0500-3171
GGFE	A-K	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6629			0179-2958-01	000G-0444	0500-3211
GGFE	A-K	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6628			0179-2958-01	000G-0443	0500-3211
GGFE	A-K	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6630			0179-2960-01	000G-0445	0500-3167
GGFE	A-K		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGHE	A-G	Open to F182	Weather Protective (upgrade from open set) without window	0405-6627	0155-3392		0179-2956-01	000G-0442	0500-3171
GGHE	A-G	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6629			0179-2958-01	000G-0444	0500-3211
GGHE	A-G	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6628	0179-2372#		0179-2958-01	000G-0443	0500-3211
GGHE	A-G	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6630			0179-2960-01	000G-0445	0500-3167
GGHE	A-G		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGHE	H-K	Open to F182	Weather Protective (upgrade from open set) without window	0405-6627	0155-3393		0179-2956-01	000G-0442	0500-3171
GGHE	H-K	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6629			0179-2958-01	000G-0444	0500-3211
GGHE	H-K	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6628			0179-2958-01	000G-0443	0500-3211
GGHE	H-K	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6630			0179-2960-01	000G-0445	0500-3167
GGHE	H-K		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGHF	A-G	Open to F182	Weather Protective (upgrade from open set) without window	0405-6627	0155-3392		0179-2956-01	000G-0442	0500-3171
GGHF	A-G	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6629			0179-2958-01	000G-0444	0500-3211
GGHF	A-G	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6628	0179-2372#		0179-2958-01	000G-0443	0500-3211
GGHF	A-G	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6630			0179-2960-01	000G-0445	0500-3167
GGHF	A-G	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1) (50 deg C)	0405-6631			0179-3000-01	000G-0445	0500-3167
GGHF	A-G		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675

Our energy working for you.™

[www.cumminspower.com](http://www.cumminspower.com)

©2010 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. Specifications are subject to change without notice AC-161h (1/10)





Model	Spec Letter	Feature Code	Description	Enclosure Kit #	Exhaust Part # (required if listed)	Additional Part #s (required if listed)	Production Part #	Instruction Sheet	Outline Drawing
GGHF	H-K	Open to F182	Weather Protective (upgrade from open set) without window	0405-6627	0155-3393		0179-2956-01	000G-0442	0500-3171
GGHF	H-K	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6629			0179-2958-01	000G-0444	0500-3211
GGHF	H-K	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6628			0179-2958-01	000G-0443	0500-3211
GGHF	H-K	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6630			0179-2960-01	000G-0445	0500-3167
GGHF	H-K	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1) (50 deg C)	0405-6631			0179-3000-01	000G-0445	0500-3167
GGHF	H-K		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGHG	A-E	Open to F182	Weather Protective (upgrade from open set)	0405-6827	0155-3479		0179-2957-01	000G-0472	0500-3171
GGHG	A-E	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6828			0179-2959-01	000G-0473	0500-3211
GGHG	A-E	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6829			0179-2959-01	000G-0474	0500-3282
GGHG	A-E	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6631			0179-2961-01	000G-0445	0500-3167
GGHG	A-E		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGHG	F-K	Open to F182	Weather Protective (upgrade from open set)	A030A128	0179-5894-05		0179-3978	A030A203	0500-4908
GGHG	F-K	Open to F182	Weather Protective (upgrade from open set) w/catalyst	A030A128	0179-5570-04		0179-3978	A030A203	0500-4908
GGHG	F-K	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	A030A144			0179-3979	A030A203	0500-4908
GGHG	F-K	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	A030A149			0179-3980	A030A203	0500-4908
GGHG	F-K		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGHH	A-E	Open to F182	Weather Protective (upgrade from open set)	0405-6827	0155-3479		0179-2957-01	000G-0472	0500-3171
GGHH	A-E	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6828			0179-2959-01	000G-0473	0500-3211
GGHH	A-E	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6829			0179-2959-01	000G-0474	0500-3282
GGHH	A-E	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6631			0179-2961-01	000G-0445	0500-3167
GGHH	A-E		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGHH	F-K	Open to F182	Weather Protective (upgrade from open set)	A030A128	0179-5894-05		0179-3978	A030A203	0500-4908
GGHH	F-K	Open to F182	Weather Protective (upgrade from open set) w/catalyst	A030A128	0179-5570-04		0179-3978	A030A203	0500-4908
GGHH	F-K	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	A030A144			0179-3979	A030A203	0500-4908
GGHH	F-K	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	A030A149			0179-3980	A030A203	0500-4908
GGHH	F-K		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGKB	A-D	Open to F183	Weather Protective (upgrade from open set)	0405-6312			0179-3223-01	000G-0395	0500-3257
GGKB	A-D	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6314-01			0405-6933-05	000G-0396	0500-3166
GGKB	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6313-01			0405-6933-05	000G-0397	0500-3166
GGKB	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-05	000G-0375	0500-3283
GGKB	A-D		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGKC	A-D	Open to F183	Weather Protective (upgrade from open set)	0405-6312			0179-3223-01	000G-0395	0500-3257
GGKC	A-D	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6314-01			0405-6933-05	000G-0396	0500-3166
GGKC	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6313-01			0405-6933-05	000G-0397	0500-3166
GGKC	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-05	000G-0375	0500-3283

Our energy working for you.™

[www.cumminspower.com](http://www.cumminspower.com)

©2010 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. Specifications are subject to change without notice AC-161h (1/10)



Model	Spec Letter	Feature Code	Description	Enclosure Kit #	Exhaust Part # (required if listed)	Additional Part #s (required if listed)	Production Part #	Instruction Sheet	Outline Drawing
GGKC	A-D		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGKD	A-D	Open to F183	Weather Protective (upgrade from open set)	0405-6312			0179-3223-01	000G-0395	0500-3257
GGKD	A-D	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	0405-6314-01			0405-6933-05	000G-0396	0500-3166
GGKD	A-D	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	0405-6313-01			0405-6933-05	000G-0397	0500-3166
GGKD	A-D	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	0405-6025			0405-6934-05	000G-0375	0500-3283
GGKD	A-D		Rain Shield Kit- short skid	0541-0675-01			0541-0675	000G-0494	0541-0675
GGLA	E-G	Open to F182	Weather Protective (upgrade from open set)	A026E085	0179-5895-05		0179-4366	A026F498	0500-4907
GGLA	E-G	Open to F182	Weather Protective (upgrade from open set) w/catalyst	A026E085	0179-5571-04		0179-4366	A026F498	0500-4907
GGLA	E-G	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	A026F032			0179-4367	A026F500	0500-4907
GGLA	E-G	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	A026F035	0179-5895-05		0179-4367	A026F499	0500-4907
GGLA	E-G	Open to F172	Sound Attenuated Level 1 (upgrade from open set) w/catalyst	A026F035	0179-5571-04		0179-4367	A026F499	0500-4907
GGLA	E-G	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	A026F036			0179-4368	A026F499	0500-4907
GGLB	E-G	Open to F182	Weather Protective (upgrade from open set)	A026E085	0179-5895-05		0179-4366	A026F498	0500-4907
GGLB	E-G	Open to F182	Weather Protective (upgrade from open set) w/catalyst	A026E085	0179-5571-04		0179-4366	A026F498	0500-4907
GGLB	E-G	F182 to F172	Sound Attenuated Level 1 (upgrade from Weather Protective)	A026F032			0179-4367	A026F500	0500-4907
GGLB	E-G	Open to F172	Sound Attenuated Level 1 (upgrade from open set)	A026F035	0179-5895-05		0179-4367	A026F499	0500-4907
GGLB	E-G	Open to F172	Sound Attenuated Level 1 (upgrade from open set) w/catalyst	A026F035	0179-5571-04		0179-4367	A026F499	0500-4907
GGLB	E-G	F172 to F173	Sound Attenuated Level 2 (upgrade from Level 1)	A026F036			0179-4368	A026F499	0500-4907

\* Purchase through Parts in Memphis, TN

# Purchase components through Parts in Memphis, TN

### Americas

1400 73rd Avenue N.E.  
 Minneapolis, MN 55432 USA  
 Phone: 763 574 5000  
 Fax: 763 574 5298

### Europe, CIS, Middle East and Africa

Manston Park Columbus Ave.  
 Manston Ramsgate  
 Kent CT 12 5BF United Kingdom  
 Phone 44 1843 255000  
 Fax 44 1843 255902

### Asia Pacific

10 Toh Guan Road #07-01  
 TT International Tradepark  
 Singapore 608838  
 Phone 65 6417 2388  
 Fax 65 6417 2399

Our energy working for you.™

[www.cumminspower.com](http://www.cumminspower.com)

©2010 Cummins Power Generation Inc. All rights reserved. Cummins Power Generation and Cummins are registered trademarks of Cummins Inc. "Our energy working for you." is a trademark of Cummins Power Generation. Specifications are subject to change without notice AC-161h (1/10)

